

# HASEL

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884



Узбекистан +998(71)205-18-59



Киргизия +996(312)96-26-47

эл.почта: [heq@nt-rt.ru](mailto:heq@nt-rt.ru) || сайт: <https://hasel.nt-rt.ru/>

## OPTIONS

\* Could be added appropriate products

<b>OP1</b> 	LAMP	<b>275.00 €</b>
<b>OP2</b>	HEATING ON ARM	<b>74.00 €</b>
<b>OP3</b>	SECOND OUTLETS FOR TABLE WITHIN BOILER (second hand iron could be installed or gun,brush etc.)	<b>365.00 €</b>
<b>OP4</b> 	CHIMNEY	<b>225.00 €</b>
<b>OP5</b>	SPECIAL DIMENSIONS	<b>depends on dimensions</b>
<b>OP6</b>	BLOWING MOTOR FOR WIDE TABLES	<b>460.00 €</b>
<b>OP7</b>	BALANCER WITH HAND IRON and PART CONNECTED	<b>415.00 €</b>
<b>OP8</b>	2 CHEMICAL CUPS+SPREYING GUN FOR SPOT REMOVING TABLES	<b>550.00 €</b>


 <b>HSL-KS-01S</b>	<p style="text-align: center;"><b>COMBINED IRONING SET 1</b></p> <p>1 qty: Full Aut. Steam Boiler With 2 outlets(HSL-OK-12S)            1 qty: Narrow ironing table with swivel arm.(HSL-DP-03K)            1 qty: Wide ironing table(HSL-GP-03S)            2 qty: Hand Iron(S/200)</p> <p>It is suitable for ironing all clothes, dresses, skirts, shirts, t-shirts etc. Using in textile factories and dry cleaners.            Voltage: 380 or 220 V (informed order)</p> <p>Vacuum Motors: 0.55 kW      Total Power: 12 Kw            Working Pressure: 3.5 bar      <b>Totally Volume: 1,87 m<sup>3</sup></b>            Power of boiler resistance: 6 kW      <b>Totally Gross Weight: 157 kg</b></p>	<b>4,905.00 €</b>	<b>IRONING SETS</b>
 <b>HSL-KS-02S</b>	<p style="text-align: center;"><b>COMBINED IRONING SET 2</b></p> <p>1 qty: 7 lt Steam Boiler With 1 outlet(HSL-BK-07)            1 qty: Narrow ironing table with swivel arm.(HSL-DP-03K)            1 qty: Hand Iron(S/200)</p> <p>It is suitable for ironing all clothes, dresses, skirts, shirts, t-shirts etc. Ideal usage in boutique hotels, tailors etc.            Voltage: 220 V      Vacuum Motors: 0.55 Kw            Working Pressure: 3.5 bar      Power of boiler resistance: 5 Kw            Totally Volume: 0,76 m<sup>3</sup></p>	<b>2,730.00 €</b>	

CODE	DESCRIPTIONS	PRICE
<b>HSL-KBBJ-02</b> 	<p align="center"><b>Nar.Ironing Table Within Boiler,Vacuuming,Air Blowing and Steam Blowing,Lamp,Swivel Arm,2 Outlets</b></p> <p>Thanks to steam blowing on surface ,soft clothes and knitwear could be ironed easily.3 pedals. Strong vacuum and blowing.Easy ironing with lamp Total Power: 7 Kw Vacuum Motors: 0.55 Kw      Blowing Motors: 0.55 Kw Gross Weight: 124 kg      Dimensions: 160*51*102 cm</p>	<p align="center"><b>with 1 hand iron with balancer</b></p> <p align="center">4,900.00 €</p>
<b>HSL-KUB-2D</b> 	<p align="center"><b>NARROW IRONING TABLE WITHIN BOILER,VACUUM, BLOWING ,CHIMNEY,LAMP,SWIVEL ARM</b></p> <p align="center"><b>2 OUTLET WITHIN HAND IRON AND STEAM-AIR GUN</b></p> <p>Used for all kinds of clothes. Easy ironing with strong vacuuming and blowing. Heat control system with thermostat on ironing surface. Easy transportation with the wheels.% 100 safety with 3 step safety Vacuum Motor: 0.55 Kw      Blowing Motor: 0.55 Kw Dimensions: 151*51*130 cm      Gross Weight: 130 kg</p>	<p align="center"><b>with 1 hand iron and 1 spot removing pistol</b></p> <p align="center">4,800.00 €</p>
<b>HSL-KP-T2D</b> 	<p align="center"><b>NARROW IRONING TABLE WITHIN BOILER and SWIVEL ARM</b></p> <p>Full automatic type;used for all kinds of clothes. Usage areas:Hotels,laundries,dry cleaners,hospitals etc. Voltage: 220 V &amp; 50 Hz      Working Pressure: 3.5 bar Water Tank: 30 lt      Vacuum Motor: 0.55 Kw Power of Pump: 0.55 Kw      Power of Boiler Resistance: 4 or 5 kw Surface Resistance: 1.5 kw      Dimensions: 154*50*93 cm Net Weight: 90 kg      Gross Weight:91 kg</p>	<p align="center"><b>with 1 hand iron</b></p> <p align="center">2,970.00 €</p>
<b>HSL-KP-T2</b> 	<p align="center"><b>NARROW IRONING TABLE WITHIN BOILER</b></p> <p>Full automatic type;used for all kinds of clothes. Usage areas:Hotels,laundries,dry cleaners,hospitals etc. Voltage: 220 V &amp; 50 Hz      Working Pressure: 3.5 bar Water Tank: 30 lt      Vacuum Motor: 0.55 Kw Power of Pump: 0.55 Kw      Power of Boiler Resistance: 4-5 kw Surface Resistance: 1.5 kw      Dimensions: 154*42*92 cm Net Weight: 85 kg      Gross Weight :86kg</p>	<p align="center"><b>with 1 hand iron</b></p> <p align="center">2,770.00 €</p>
<b>HSL-KP-02D</b> 	<p align="center"><b>NARROW IRONING TABLE WITHIN BOILER and SWIVEL ARM</b></p> <p>Voltage: 220 V &amp; 50 Hz Working Pressure: 3.5 bar      Water Tank: 30 lt Vacuum Motor: 0.55 Kw Power of Pump: 0.55 Kw      Power of Boiler Resistance: 4-5 kw Surface Resistance: 1.5 kw      Dimensions: 150*50*106 cm Gross Weight: 89 kg Net Weight: 88 kg</p>	<p align="center"><b>with 1 hand iron</b></p> <p align="center">2,990.00 €</p>
<b>HSL-KP-02</b> 	<p align="center"><b>NARROW IRONING TABLE WITHIN BOILER</b></p> <p>Voltage: 220 V &amp; 50 Hz Working Pressure: 3.5 bar      Water Tank: 30 lt Vacuum Motor: 0.55 Kw      Power of Pump: 0.55 Kw Power of Boiler Resistance: 4-5 kw Surface Resistance: 1.5 kw Dimensions: 150*41*106 cm Net Weight: 83 kg      Gross Weight: 84 kg</p>	<p align="center"><b>with 1 hand iron</b></p> <p align="center">2,580.00 €</p>


CODE	DESCRIPTIONS	PRICE
<b>HSL-KBBG-02</b> 	<b>WIDE IRONING TABLE WITHIN BOILER,VACUUM, BLOWING ,CHIMNEY,LAMP,BALANCER,SWIVEL ARM</b> Easy ironing with strong vacuuming and blowing. Heat control system with thermostat on ironing surface. Easy transportation with the wheels and lamp. Vacuum Motor: 0.55 Kw    Blowing Motor: 0.55 Kw Total Power: 8.37 Kw    Power of Resistance: 5 Kw Dimensions: 140*90*130 cm	<b>with 1 hand iron</b>  <b>4,150.00 €</b>
<b>HSL-KGP-02</b> 	<b>CURTAIN IRONING TABLE WITHIN BOILER,VACUUM 2 OUTLETS,LAMP AND BALANCER</b> Full automatic system. 2 hand irons. 2 vacuum motors. Easy ironing with balancers. Cloth holders on 2 sides.Easy transportation with the wheels.	<b>price change depends on dimensions and options</b>
<b>HSL-KP-02GK</b> 	<b>WIDE IRONING TABLE WITHIN BOILER,VACUUM AND SWIVEL ARM</b> Voltage: 220 V & 50 Hz    Working Pressure: 3.5 bar Total Power: 7.5 Kw    Water Tank Capacity: 20 lt Power of Pump:0.55 Kw    Vacuum Motor:0.55 Kw Power of resistance:4-5 kw    Dimensions:140*90*93 cm Net Weight: 92 kg    Gross Weight:93 kg	<b>with 1 hand iron</b>  <b>2,990.00 €</b>
<b>HSL-KP-02G</b> 	<b>WIDE IRONING TABLE WITHIN BOILER,VACUUM</b> Voltage: 220 V & 50 Hz    Working Pressure: 3.5 bar Total Power: 7.5 Kw    Water Tank Capacity: 20 lt Power of Pump:0.55 Kw    Vacuum Motor:0.55 Kw Power of resistance:4-5 kw    Dimensions:140*80*90 cm Net Weight: 86 kg    Gross Weight:87 kg	<b>with 1 hand iron</b>  <b>2,750.00 €</b>
CODE	DESCRIPTIONS	PRICE
<b>HSL-BBP-03K</b> 	<b>NARROW IRONING TABLE WITH VACUUM,AIR-BLOWING CHIMNEY,BALANCER AND SWIVEL ARM</b> Easy ironing with strong vacuuming and blowing. Heat control system with thermostat on ironing surface. Superior performance with high technology. Voltage&Frequency: 380V or 220V(be noted order)&50Hz Power of Blowing: 0.55 Kw    Power of Suction: 0.55 Kw Table Heating Element: 1.5 Kw	<b>with hand iron</b>  <b>2,580.00 €</b>
<b>HSL-BP-03K</b> 	<b>NARROW IRONING TABLE WITH VACUUM CHIMNEY AND SWIVEL ARM</b> Heat control system with thermostat on ironing surface. Superior performance with high technology. Voltage&Frequency: 380V or 220V(be noted order)&50Hz Power of Suction: 0.55 Kw Table Heating Element: 1.5 Kw    Weight: : 71 kg	<b>1,560.00 €</b>
<b>HSL-VUP-03K</b> 	<b>NARROW IRONING TABLE WITH VACUUM-AIR BLOWING AND SWIVEL ARM</b> Heat control system with thermostat on ironing surface. Voltage&Frequency: 380V or 220V(be noted order)&50Hz Power of Blowing: 0.55 Kw Power of Suction: 0.55 Kw Dimensions:137*49*95 cm    Weight: : 61 kg	<b>1,810.00 €</b>



CODE	DESCRIPTIONS	PRICE
<b>HSL-VUP-03S</b> 	<b>NARROW IRONING TABLE WITH VACUUM,AIR BLOWING</b> Heat control system with thermostat on ironing surface. Superior performance with high technology. Voltage&Frequency: 380V or 220V(be noted order)&50Hz Power of Blowing: 0.55 Kw Power of Suction: 0.55 Kw Dimensions: 137*42*90 cm Weight: : 56kg	<b>1,530.00 €</b>
<b>HSL-DP-03K</b> 	<b>NARROW IRONING TABLE WITH VACUUM AND ARM</b> Using all kinds of clothes.Easy ironing with strong vacuuming.Heat control system with thermostat on ironing surface. Voltage&Frequency: 380V or 220V(be noted order)&50Hz Power of Suction: 0.55 Kw Surface Heating : 1.5 kW Dimensions: 137*49*93 cm Weight: : 51kg	<b>1,330.00 €</b>
<b>HSL-DP-03S</b> 	<b>NARROW IRONING TABLE WITH VACUUM</b> Using all kinds of clothes.Easy ironing with strong vacuuming.Heat control system with thermostat on ironing Voltage&Frequency: 380V or 220V(be noted order)&50Hz Power of Suction: 0.55 Kw Surface Heating : 1.5 Kw Dimensions: 137*42*90 cm Weight: : 46 kg	<b>1,100.00 €</b>
<b>HSL-DP-E</b> 	<b>NARROW IRONING TABLE /ENERGY SAVING TYPE</b> There is no resistance on surface of table. (normally all narrow tables have 1,5 kw ) Table covered with special european silicon sponge . Motor type is different with 0.55 Kw Total Power: 0.55 Kw Dimensions: 140*42*90 cm Weight: : 49 kg	<b>1,720.00 €</b>
<b>HSL-PVP-03K</b> 	<b>NARROW IRONING TABLE WITH VACUUM AND ARM-long</b> Ideal for long clothes like; outerwear,topper,overcoats etc Voltage&Frequency: 380V or 220V(be noted order)&50Hz	<b>1,700.00 €</b>
<b>HSL-PVP-03S</b> 	<b>NARROW IRONING TABLE -long</b> Ideal for long clothes like; outerwear,topper,overcoats etc Voltage&Frequency: 380V or 220V(be noted order)&50Hz Suction: 0.55 kW Dimensions: 165*55*91 cm	<b>1,600.00 €</b>
<b>HSL-PVU-03K</b> 	<b>NARROW IRONING TABLE WITH VACUUM BLOWING AND ARM-long</b> Ideal for long clothes like;outerwear,topper,overcoats etc Voltage&Frequency: 380V or 220V(be noted order)&50Hz Suction: 0.55 kW Blowing: 0.55 kW Dimensions: 165*65*93 cm Weight:	<b>2,285.00 €</b>
<b>HSL-PVU-03S</b> 	<b>NARROW IRONING TABLE WITH VACUUM AND BLOW-long</b> Ideal for long clothes like;outerwear,topper,overcoats etc Voltage&Frequency: 380V or 220V(be noted order)&50Hz Suction: 0.55 kW Blowing: 0.55 kW Dimensions: 165*65*93 cm Weight:	<b>1,785.00 €</b>











IRONING BOARD





CODE	DESCRIPTIONS	PRICE
<p><b>HSL-DP-03M</b></p> 	<p><b>MINI TYPE NARROW IRONING TABLE WITH VACUUM and ARM ( Without boiler)</b></p> <p>Usage areas: Boutique hotels, tailors, houses etc.            Heat control system with thermostat on ironing surface.            Voltage: 220 V &amp; 50 Hz            Vacuum Motor: 0.55 Kw            Dimensions: 142*49*95 cm            Net Weight: 49 kg</p>	<p><b>1,330.00 €</b></p>
<p><b>HSL-DP-03MS</b></p> 	<p><b>MINI TYPE NARROW IRONING TABLE WITH VACUUM and ARM ( Without boiler)</b></p> <p>Usage areas: Boutique hotels, tailors, houses etc.            Heat control system with thermostat on ironing surface.            Voltage: 220 V &amp; 50 Hz            Vacuum Motor: 0.55 Kw            Dimensions: 142*49*95 cm            Net Weight: 44 kg</p>	<p><b>1,100.00 €</b></p>
<p><b>HSL-BBG-03K</b></p> 	<p><b>WIDE IRONING TABLE WITH VACUUM, AIR-BLOWING, CHIMNEY, LAMP AND SWIVEL ARM</b></p> <p>Easy Ironing with strong vacuuming and blowing.            Heat control system with thermostat on ironing surface.            Voltage &amp; Frequency: 380V or 220V (be noted order) &amp; 50Hz            Power of Blowing: 0.55 Kw            Power of Suction: 0.55 Kw            Total Power: 4 Kw            Table Heating Element: 1,5 *2 Kw</p>	<p><b>With hand iron and balancer</b></p> <p><b>2,850.00 €</b></p>
<p><b>HSL-BUG-03K</b></p> 	<p><b>WIDE IRONING TABLE WITH VACUUM, AIR-BLOWING, CHIMNEY AND SWIVEL ARM</b></p> <p>Easy Ironing with strong vacuuming and blowing.            Heat control system with thermostat on ironing surface.            Voltage &amp; Frequency: 380V or 220V (be noted order) &amp; 50Hz            Power of Blowing: 0.55 Kw            Power of Suction: 0.55 Kw            Total Power: 4 Kw            Table Heating Element: 1,5 *2 Kw</p>	<p><b>2,160.00 €</b></p>
<p><b>HSL-BG-03K</b></p> 	<p><b>WIDE IRONING TABLE WITH VACUUM CHIMNEY AND SWIVEL ARM</b></p> <p>Heat control system with thermostat on ironing surface.            Voltage &amp; Frequency: 380V or 220V (be noted order) &amp; 50Hz            Power of Suction: 0.55 Kw            Total Power: 4 Kw            Total Power: 3.5 Kw            Table Heating Element: 1,5 *2 Kw</p>	<p><b>1,675.00 €</b></p>
<p><b>HSL-GP-03K</b></p> 	<p><b>WIDE IRONING TABLE WITH VACUUM AND SWIVEL ARM</b></p> <p>Easy ironing with strong vacuuming. Practical usage            Superior performance with high technology.            Voltage &amp; Frequency: 380V or 220V (be noted order) &amp; 50Hz            Total Power: 3.55 kW Power of Suction: 0,55 Kw            Table Surface Heating: 2*1.5 Kw            Dimensions: 140*90*95 cm            Weight: 60 kg</p>	<p><b>1,485.00 €</b></p>

CODE	DESCRIPTIONS	PRICE
<b>HSL-GP-03S</b> 	<b>WIDE IRONING TABLE WITH VACUUM</b> Easy ironing with strong vacuuming. Practical usage Superior performance with high technology. Voltage&Frequency: 380V or 220V (be noted order)&50Hz Total Power: 3.55 Kw Table Surface Heating: 2*1.5 Kw Dimensions: 140*80*90 cm Weight: 55 kg	<b>1,285.00 €</b>
<b>HSL-MP-25K</b> 	<b>MINI TYPE WIDE IRONING TABLE WITH VACUUM AND ARM</b> Easy ironing with strong vacuuming. Chic and ergonomic design. Practical usage Heat control system with thermostat on ironing surface. Voltage: 220 V & 50 Hz Vacuum Motor: 0.55 Kw Net Weight : 58 kg Dimensions: 147*90*95 cm	<b>( Without boiler)</b>  <b>1,485.00 €</b>
<b>HSL-MP-25</b> 	<b>MINI TYPE WIDE IRONING TABLE WITH VACUUM</b> Easy ironing with strong vacuuming. Chic and ergonomic design. Practical usage Heat control system with thermostat on ironing surface. Voltage: 220 V & 50 Hz Vacuum Motor: 0.55 Kw Dimensions: 147*80*91 cm Net Weight : 53 kg	<b>( Without boiler)</b>  <b>1,285.00 €</b>
<b>HSL-GP-03E</b> 	<b>WIDE IRONING TABLE (ENERGY SAVING)</b> Not includes surface heating element.(3 kw) Special silicone cover to prevent water driblet on the surface. Voltage&Frequency: 380V or 220V (be noted order)&50Hz Total Power: 0.55 Kw Power of Suction: 0,55 Kw (gamak motor) Dimension of Surface: 117*75 cm	<b>1,870.00 €</b>
<b>HSL-GP-03KO</b> 	<b>WIDE IRONING TABLE WITH SPECIAL ARM</b> Wide Ironing table with special arm. Voltage: 220 V or 380 V Vacuum Motor: 0.55Kw Total Power: 3.55 Kw Weight: 63 kgs Dimensions: 140*90*93 cm	<b>1,630.00 €</b>
<b>HSL-GP-032KIO</b> 	<b>WIDE IRONING TABLE WITH ARM and SPECIAL ARM</b> Wide Ironing table with special arm. Voltage: 220 V or 380 V Vacuum Motor: 0,55 Kw Total Power: 3.55 Kw Weight: 70 kgs  Dimensions: 140*95*95 cm	<b>1,835.00 €</b>

CODE	DESCRIPTIONS	PRICE
<b>HSL-CAP-03S</b> 	<b>JACKET LINING IRONING TABLE WITH VACUUM , BLOWING AND WATER SPRAYING SYSTEM</b> Easy Ironing with strong vacuuming and blowing. Heat control system with thermostat on ironing surface. Voltage&Frequency: 380V or 220V (be noted order)&50Hz Power of Blowing: 0,37 Kw Power of Suction: 0,37 Kw Total Power: 2 Kw Table Heating Element: 1,5 Kw	<b>3,720.00 €</b>
<b>HSL-RU-T</b> 	<b>RETOUCHING IRONING TABLE</b> Easy ironing with strong vacuuming and blowing Surface heating system Voltage&Frequency: 220 or 380 V & 50 Hz Power of Vacuum Motor: 0.55 Kw Power of Blowing Motor: 0.55 Kw Dimensions: cm	<b>3,420.00 €</b>
<b>HSL-DA-03S</b> 	<b>SEAM OPENING MACHINE WITH STRECHING VACUUMING, CHIMNEY AND BALANCER</b> Used in opening the seams in trousers produced from all kinds of fabric. The leg edge of the trousers placed on the machine is stretched with a pneumatic apparatus iron order to avoid sliding. Works with compressed air. Vacuum Motor: 0.55 Kw Voltage: 220 or 380 V Air Inlet: 1/2"	with hand iron with balancer  <b>3,750.00 €</b>
<b>HSL-DA-G</b> 	<b>SEAM OPENING MACHINE WITH STRECHING, VACUUMING</b> Works with compressed air. Voltage: 220 or 380 V Vacuum Motor: 0.55 Kw Air Inlet: 1/2" Dimensions: 156*42*96 cm Weight: 55 kg	with hand iron  <b>2,850.00 €</b>
<b>HSL-DA-S</b> 	<b>SEAM OPENING MACHINE WITH VACUUMING</b> Works with compressed air. Voltage: 220 or 380 V Vacuum Motor: 0.55 Kw Air Inlet: 1/2" Dimensions: 156*42*96 cm Weight: 55 kg	with hand iron  <b>1,870.00 €</b>
<b>HSL-ADA-S</b> 	<b>TROUSERS CROTCH SEAM OPENING TABLE WITH VACUUM</b> Voltage: 220 or 380 V Capacity: ~130 psc/h Vacuum Motor: 0.55 Kw Dimensions: - cm Weight: - kg	<b>3,150.00 €</b>
<b>HSL-KUT-01S</b> 	<b>SEAM OPENING MACHINE</b> Voltage: 220 or 380 V Capacity: ~130 psc/h Vacuum Motor: 0.55 Kw Dimensions: - cm Weight: - kg	<b>2,990.00 €</b>

CODE	DESCRIPTIONS	PRICE
<b>HSL-MBK-35</b> 	<b>MINI TYPE STEAM BOILER-3.5 LT WITH HAND IRON</b> Water Capacity : 3.5 lt Voltage&Frequency:220/230 V & 50/60 Hz Power of resistance: 1250 W Steam Pressure: 2.5 bar Heat Up Time: ~12 minutes Packing Dimension:30*33*45 cm Packing Weight: 9,5 kg	<b>with hand iron</b>  <b>650.00 €</b>
<b>HSL-MBK-20</b> 	<b>MINI TYPE STEAM BOILER-2 LT WITH HAND IRON</b> Water Capacity : 2 lt Voltage&Frequency:220/230 V & 50/60 Hz Power of resistance: 1250 W Steam Pressure: 2,5 bar Heat Up Time: ~18 minutes Packing Dimension:30*33*45 cm Packing Weight: 9 kg	<b>with hand iron</b>  <b>645.00 €</b>
<b>HSL-MBK-50</b> 	<b>MINI TYPE STEAM BOILER-5 LT WITH HAND IRON</b> Water Capacity : 5 lt Voltage&Frequency:220/230 V & 50/60 Hz Power of resistance: 3000 W Steam Pressure: 3.5 bar Heat Up Time: ~8 minutes Packing Dimension: cm Packing Weight: kg	<b>with hand iron</b>  <b>1,330.00 €</b>
<b>HSL-AUR-5</b> 	<b>BOILER TYPE STEAM IRON WITH BRUSH-5 LT WITH BRUSH</b> Usage Areas:Clothing shops,boutiques,curtain makers etc. permits and continuous dry steam passes through durable steam hose,later to hot channels . Voltage: 220 V & 50 Hz Total Power: 4,5 Kw Working pressure:4 bar Power :4 kw Ebatları:33*31*42 cm Net Weight: 14 kg	<b>with brush</b>  <b>1,390.00 €</b>
<b>HSL-AUR-2</b> 	<b>BOILER TYPE STEAM IRON WITH BRUSH-2 LT WITH BRUS</b> Usage Areas:Clothing shops,boutiques,curtain makers etc. As long as steam trigger is pressed,solenoid valve permits and continuous dry steam passes. Voltage: 220 V & 50 Hz	<b>with brush</b>  <b>360.00 €</b>
<b>HSL-BK-07</b> 	<b>MINI TYPE STEAM BOILER-7 LT</b> Designed for producing steam for ironing tables. Voltage&Frequency:220/230 V & 50 Hz Water Capacity : 7 lt Power of resistance: 4000 W Working Pressure: 3.5 bar Steam Outlet: 1/2" Dimensions: 34*38*92 cm Weight: 22 kg	<b>with hand iron</b>  <b>880.00 €</b>
<b>HSL-BK-10</b> 	<b>MINI TYPE STEAM BOILER-10 LT</b> Designed for producing steam for ironing tables. Voltage&Frequency:220/230 V & 50 Hz Water Capacity : 10 lt Power of resistance: 4000 W Working Pressure: 3.5 bar Steam Outlet: 1/2" Dimensions: 34*38*92 cm Weight: 27 kg	<b>with hand iron</b>  <b>1,615.00 €</b>
<b>HSL-BK-102</b> 	<b>MINI TYPE STEAM BOILER WITH HAND IRONS -10 LT</b> Designed for producing steam for ironing tables. Voltage&Frequency:220/230 V & 50 Hz Water Capacity : 10 lt Power of resistance: 4000 W Working Pressure: 3.5 bar Steam Outlet: 1/2" Dimensions: 34*38*92 cm Weight: 30 kg	<b>with 2 qty hand irons</b>  <b>1,990.00 €</b>



CODE	DESCRIPTIONS	PRICE
<b>HSL-OK-12C</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 2 OUTLET</b> 3 safety system.Practical usage.Automatically stops when water runs out.Water feeds with pumps to interior tank. Voltage&Frequency: 220/380 V & 50 Hz Total Power: 6,37 kW , Steam &Water Outlet :1/2" Valve:CA4 Power of resistance: 6 kW ,Heat-up time: ~9 min. Steam Pressure: 3.5 bar,Water Tank Capacity: 30 lt Dimensions: 48*50*93 cm Weight: 45 kg	<b>without hand iron</b> <b>1,840.00 €</b>  <b>with 2 hand irons</b> <b>2,480.00 €</b>
<b>HSL-OK-12S</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 2 OUTLET</b> 3 safety system.Practical usage.Automatically stops when water runs out.Water feeds with pumps to interior tank. Voltage&Frequency: 220/380 V & 50 Hz Total Power: 6,37 kW , Steam &Water Outlet :1/2" Valve:C4 Power of resistance: 6 kW ,Heat-up time: ~9 min. Steam Pressure: 3.5 bar,Water Tank Capacity: 30 lt Dimensions: 48*50*93 cm Weight: 45 kg	<b>without hand iron</b> <b>1,850.00 €</b>  <b>With 2 hand irons</b> <b>1,990.00 €</b>
<b>HSL-OK-13S</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 3 OUTLETS</b> Has 2 unit resistance ,each resistance is self contained, it means you could open 1 resistabce if you work with 1 or 2 hand irons. Voltage&Frequency: 220/380 V & 50 Hz Total Power: 12,5 kW , Steam &Water Outlet :1/2" Power of resistance: 2*6 kW ,Heat-up time: ~12 min. Steam Pressure: 3.5 bar,Water Tank Capacity: 30 lt Dimensions: 50*52*97 cm Weight: 55 kg	<b>without hand iron</b>  <b>2,250.00 €</b>
<b>HSL-OK-13C</b>	<b>FULL AUTOMATIC STEAM BOILER WITH 3 OUTLETS</b>	<b>2,500.00 €</b>
<b>HSL-OK-14S</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 4 OUTLETS</b> 3 safety system.Automatically stops when water runs out. Water feeds with pumps to interior tank.Enery saving with opening only 1 resistance when work with 1-2 irons. Voltage&Frequency: 220/380 V & 50 Hz Total Power: 20,37 kW , Steam &Water Outlet :1/2" Power of resistance: 2*10 kW ,Heat-up time: ~18 min. Steam Pressure: 3.5 bar,Water Tank Capacity: 50 lt Dimensions:67*57*100 cm Weight: 88 kg	<b>without hand iron</b>  <b>2,850.00 €</b>
<b>HSL-OK-14C</b>	<b>FULL AUTOMATIC STEAM BOILER WITH 4 OUTLETS</b>	<b>3,150.00 €</b>
<b>HSL-OK-12D</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 2 OUTLET</b> Voltage&Frequency: 220/380 V & 50 Hz Steam &Water Outlet :1/2" Total Power: 6,5 kW Steam Pressure: <b>5 bar</b> Power of resistance: 6 Kw Dimensions:48*50*93 cm	<b>With 2 pistols</b>  <b>2,530.00 €</b>
<b>HSL-MBK-5D</b> 	<b>STEAM BOILER - 5 LT</b> Voltage&Frequency: 220/380 V & 50 Hz Steam &Water Outlet :1/2" Steam Pressure: 4 bar Power of resistance:4 kw Dimensions: 33*31*42 cm Weight: 14 kg	<b>With 1 pistol</b>  <b>1,330.00 €</b>






STEAM BOILER



CODE	DESCRIPTIONS	PRICE
<b>HSL-BK-7D</b> 	<b>STEAM BOILER - 7 LT</b> Ideal for ironing fur clothes. Voltage&Frequency: 220/380 V & 50 Hz Steam & Water Outlet : 1/2" Steam Pressure: 4 bar Power of resistance: 4 kw Dimensions: 34*38*92 cm Weight: 22 kg	<b>With 1 gun</b>  <b>1,370.00 €</b>
<b>HSL-BK-10D</b> 	<b>STEAM BOILER - 10 LT</b> Ideal for ironing fur clothes. Voltage&Frequency: 220/380 V & 50 Hz Steam & Water Outlet : 1/2" Steam Pressure: 4 bar Power of resistance: 6 kw Dimensions: 34*38*92 cm Weight: 30 kg	<b>With 1 gun</b>  <b>1,490.00 €</b>
<b>HSL-MK-20</b> 	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-20 Kw</b> Depends on capacity 6 -7 units table can be woked or 1 unit press.3 safety system. Voltage&Frequency:380 V & 50 Hz Power of Resistance: 2*10 Kw Steam Pressure: 4 bar Steam&Water Outlet : 1/2" Water Tank Capacity: 50 lt Dimensions:67*57*100cm Weight:88 kg	<b>2,650.00 €</b>
<b>HSL-MK-30</b> 	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-30 kW</b> Depends on capacity 9-10 units table can be woked or 1-2 unit press.3 safety system. Voltage&Frequency:380 V & 50 Hz Total Power: 30,55 kW Power of Resistance: 3*10 kW Steam Pressure: 4 bar Steam&Water Outlet : 1/2" Dimensions:94*65*74 cm Weight:114 kg	<b>3,650.00 €</b>
<b>HSL-MK-40</b> 	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-40 kW</b> Depends on capacity 11-13 units table can be woked or 2-3 unit press.3 safety system. Voltage&Frequency:380 V & 50 Hz Total Power: 41 kW Power of Resistance: 4*10 kW Steam&Water Outlet : 1/2" Dimensions:100*65*74 cm Weight:117 kg	<b>4,250.00 €</b>
<b>HSL-MK-50</b> 	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-50 kW</b> Depends on capacity 14-16 units table can be woked or 3-4 unit press.3 safety system. Voltage&Frequency:380 V & 50 Hz Total Power: 51 kW Power of Resistance:5*10 kW Steam Pressure: 4 bar Steam&Water Outlet : 1/2" Dimensions:117*84*74 cm Weight:150 kg	<b>4,750.00 €</b>

STEAM BOILER





CODE	DESCRIPTIONS	PRICE
<b>HSL-MK-60</b> 	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-60 kW</b> Depends on capacity 16-20 units table can be woked or 3-4 unit press.3 safety system. Voltage&Frequency:380 V & 50 Hz Total Power: 61 kW Power of Resistance: 6*10kW Steam Pressure: 4 bar Steam&Water Outlet :1/2" Dimensions:117*84*74 cm Weight:165 kg	5,900.00 €
<b>HSL-MK-80</b> 	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-80 kW</b> Depends on capacity 16-20 units table can be woked or 3-4 unit press.3 safety system. Voltage&Frequency:380 V & 50 Hz Total Power: 61 kW Power of Resistance: 8*10 kW Steam Pressure: 4 bar Steam&Water Outlet :1/2" Dimensions:100*90*156 cm Weight:240 kg	7,150.00 €
<b>HSL-MK-100</b>	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-120 kW</b> Total Power: 101 kW Power of Resistance: 10*10 kW Steam Pressure: 5 bar	8,350.00 €
<b>HSL-MK-120</b>	<b>CENTRAL TYPE FULL AUTOMATIC STEAM BOILER-120 kW</b> Total Power: 121 kW Power of Resistance: 12*10 kW Steam Pressure: 5 bar	9,900.00 €
<b>BU-200</b> 	<b>NATUREL GAS STEAM GENERATOR</b> Steam Capacity:200 kg/h Water Capacity: 240 lt Fuel Consumption: 16 m3/h Pump: 2,2 Kw Burner: GÖKÇE CUENOD 2 steps Dimensions: 240*104*165 cm Weight:1100 kg	Ask for price
<b>BU-300</b> 	<b>NATUREL GAS STEAM GENERATOR</b> Steam Capacity:300 kg/h Water Capacity: 430 lt Fuel Consumption: 24 m3/h Pump: 2,2 Kw Burner: GÖKÇE CUENOD 2 steps Dimensions: 260*153*217 cm Weight:1500 kg	Ask for price
<b>BU-400</b> 	<b>NATUREL GAS STEAM GENERATOR</b> Steam Capacity:400 kg/h Water Capacity: 240 lt Fuel Consumption: 16 m3/h Pump: 2,2 Kw Burner: GÖKÇE CUENOD 2 steps Dimensions: 270*153*217 cm Weight:1650 kg	Ask for price
<b>BU-500</b> 	<b>NATUREL GAS STEAM GENERATOR</b> Steam Capacity:500 kg/h Water Capacity: 430 lt Fuel Consumption: 40 m3/h Pump: 3 Kw Burner: GÖKÇE CUENOD 2 steps Dimensions: 284*158*222 cm Weight:1800 kg	Ask for price



CODE	DESCRIPTIONS	PRICE
<b>HSL-KLT-01S</b> 	<b>SPOT REMOVING MACHINE WITHIN BOILER</b> The most practical and solution for removal of stains without dry cleaning and damaging the fabric. 304 quality CrNi stainless steel spot apparatus and table sheet.Chic and ergonomic design. Voltage: 380 V or 220 V      Working Pressure: 4 bar Vacuum Motor: 0.55 Kw      Power of resistance: 5 Kw Dimensions: 82*85*141 cm      Weight:126 kg	<b>with pistol</b>  <b>4,350.00 €</b>
	<b>Option: with 2 chemical cups+sprey gun</b>	<b>550.00 €</b>
<b>HSL-MLT-01S</b> 	<b>CENTRAL SYSTEM SPOT REMOVING MACHINE</b> The most practical and solution for removal of stains without dry cleaning and damaging the fabric. 304 quality CrNi stainless steel spot apparatus and table sheet.Chic and ergonomic design Voltage: 380 V or 220 V Vacuum Motor: 0.55 Kw Dimensions: 82*85*141 cm Weight:126 kg	<b>with pistol</b>  <b>3,150.00 €</b>
<b>HSL-KL-01S</b> 	<b>SPOT REMOVING MACHINE WITHIN BOILER</b> The most practical and solution for removal of stains without dry cleaning and damaging the fabric. 304 quality CrNi stainless steel spot apparatus and table sheet.Chic and ergonomic design. Voltage: 220 V Working Pressure: 4 bar Vacuum Motor: 0.55 Kw Power of resistance: 5 kW Dimensions: : 128*45*103 cm Weight: 96 kg	<b>with pistol</b>  <b>3,850.00 €</b>
<b>HSL-LT-01S</b> 	<b>CENTRAL SYSTEM SPOT REMOVING MACHINE</b> 304 quality CrNi stainless steel spot apparatus and table sheet.Chic and ergonomic design. Voltage: 220 V Working Pressure: 4 bar Vacuum Motor: 0.55 Kw Dimensions: : 125*42*94 cm Weight: 57 kg	<b>with pistol</b>  <b>2,650.00 €</b>

SPOT REMOVING MACHINE

CODE	DESCRIPTIONS	PRICE
	<b>MANUEL TRANSFER PRINTING PRESS</b> Pressing adjustment for all types of fabric. Quality printing and fast performance.Voltage:220 V Waiting Time: 0-60 second Temperature Adjustment: 0-260 C <b>MAX-38:</b> Buck size 38*38 cm <b>MAX-62:</b> Buck size 38*62 cm	<b>1,350.00 €</b>  <b>1,850.00 €</b>
Made in China		
	<b>AUTOMATIC TRANSFER PRINTING PRESS</b> Pressing adjustment for all types of fabric. Quality printing and fast performance.Voltage:220 V Waiting Time: 0-60 second Temperature Adjustment: 0-260 C <b>OMAX-38 :Buck Size 38*38 cm</b> <b>OMAX-62:Buck Size 38x62 cm</b>	<b>6,150.00 €</b>  <b>7,300.00 €</b>

PRINTING MACHINE






CODE	DESCRIPTIONS	PRICE
	<b>MANUEL TRANSFER PRINTING PRESS WITH DOUBLE LOWER BUCKS</b>	<b>KS</b>
	Pressing adjustment for all types of fabric. Quality printing and fast performance. Temp. Adjustment: 0-260 C Voltage:220 V Waiting Time: 0-60 second <b>MDTP-1515:</b> Buck dimensions 15*15 cm <b>MDTP-2020:</b> Buck dimensions 20*20 cm <b>MDTP-3030:</b> Buck dimensions 30*30 cm <b>MDTP-4040:</b> Buck dimensions 40*40 cm <b>MDTP-3649:</b> Buck dimensions 36*49 cm <b>MDTP-4050:</b> Buck dimensions 40*50 cm <b>MDTP-5060:</b> Buck dimensions 50*60 cm <b>MDTP-6080:</b> Buck dimensions 60*80 cm	<b>2,750.00 €</b>
	<b>PNEUMATIC TRANSFER PRINTING PRESS WITH DOUBLE LOWER BUCKS</b> Fast and easy working. Voltage:220 V Working Pressure: 0-10 Bar Waiting Time: 0-60 second Temperature Adjustment: 0-260 C/digital <b>ADTP-4040:</b> Buck dimensions 40*40 cm <b>ADTP-3649:</b> Buck dimensions 36*49 cm <b>ADTP-4050:</b> Buck dimensions 40*50 cm <b>ADTP-5060:</b> Buck dimensions 50*60 cm <b>ADTP-6080:</b> Buck dimensions 60*80 cm	<b>4,330.00 €</b>
<b>HSL-SPM</b> 	<b>MANUEL TRANSFER PRINTING PRESS FOR HAT</b> Usage for transfer printing for hats. Thermostat controlled heating .Easy portable. Padded with special silicone. Voltage: 220 V	<b>4,120.00 €</b>
<b>HSL-OSPM</b> 	<b>AUTO. TRANSFER PRINTING PRESS FOR HAT</b> Usage for transfer printing for hats. Thermostat controlled heating. Easy portable. Padded with special silicone. Voltage: 220 V	<b>4,350.00 €</b>
<b>HSL-DTB-15</b> 	<b>MANUAL STONE AND TRANSFER PRINTING MACHINE</b> Thanks to double buck fast and easy working. Sensitive heat control with thermostat. Voltage: 220 V Buck Dimensions: 150*150 mm and 200*200 mm	<b>2,700.00 €</b>
<b>HSL-MPU-01</b> 	<b>MINI STEAM PRESS</b> Easy transportation. Power:1600 Watt Surface Dimensions:63*25 cm	<b>ask for price</b>
	HSL-MPU-02: Surface Dimensions:82*26 cm	<b>ask for price</b>

CODE	DESCRIPTIONS	PRICE
<p><b>HSL-MLTY-01S</b></p> 	<p><b>MANUAL FUSING PRESS</b></p> <p>All types of fabric can be fused with the sensitive heat and pressing adjustment. Works with a manual scissors system. Buck size is 45x115 cm. Vacuum from lower buck. Homogeneous heat dispersion in the aluminum upper buck adjustable pressure. Voltage: 380 V</p> <p><b>Optional:</b> Lower buck with steam.  <b>Optional:</b> production with a special measure buck</p>	<p><b>9,980.00 €</b></p>
<p><b>HSL-VKT-20S</b></p> 	<p><b>PNEUMATIC PRESS WITHIN BOILER FOR (TRICOT TRANSFER PRINTING, STONE PRINTING, FUSING)</b></p> <p>Steaming, pressing and vacuuming time could set digital</p> <p>If you do not want to use steam you could open digital thermostat to 200 C</p> <p>Voltage: 380 V Boiler Resistance: 2*10 Kw</p> <p>Plate Dimensions: 115*45 cm</p> <p>Vacuuming and steaming on lower plate</p> <p>Steaming and resistance on upper plate:</p> <p>Upper Plate resistance: 2*1,5 Kw Working Pressure: 4 bar</p>	<p><b>20,500.00 €</b></p>
	<p><b>PNEUMATIC FUSING PRESS</b></p> <p>It is used for bonding interlining to fabric. Ideal for interlining with strong printing and homogeneous heat distribution.</p> <p><b>HSL-MT-40:</b> BAND WIDTH 40 CM</p> <p><b>HSL-MT-60:</b> BAND WIDTH 60 CM</p> <p><b>HSL-MT-80:</b> BAND WIDTH 80 CM</p>	<p><b>10,250.00 €</b></p> <p><b>10,750.00 €</b></p> <p><b>11,650.00 €</b></p>
	<p><b>PNEUMATIC FUSING PRESS</b></p> <p>The belt rotation speed is adjustable, the belt has a return feature in case of wrong operation. Could be added fabric rolling system.</p> <p><b>HSL-TLY-60:</b> BAND WIDTH 60 CM</p> <p><b>HSL-TLY-75:</b> BAND WIDTH 75 CM</p> <p><b>HSL-TLY-100:</b> BAND WIDTH 100 CM</p> <p><b>HSL-TLY-120:</b> BAND WIDTH 120 CM</p> <p><b>HSL-TLY-160:</b> BAND WIDTH 160 CM</p>	<p><b>23,850.00 €</b></p> <p><b>25,100.00 €</b></p> <p><b>26,750.00 €</b></p> <p><b>34,150.00 €</b></p> <p><b>44,450.00 €</b></p>
<p><b>HSL-KBP-20U</b></p> 	<p><b>MANUAL BODY PRESS WITHIN BOILER AND VACUUM AND RETOUCH HAND IRON CONNECTED</b></p> <p>Water supply system automatic.</p> <p>Control the movement of the upper buck, steam and vacuum manually. Buck Dimensions: 1130*250*345 mm</p> <p>Voltage : 380 V</p> <p>Power of pump : 0.55 Kw</p> <p>Power of resistance: 20 Kw</p> <p>Working Pressure: 4 bar</p> <p>Power of Vacuum: 0.55 kw big model</p>	<p><b>within vacuum</b></p> <p><b>12,150.00 €</b></p>





CODE	DESCRIPTIONS	PRICE
<b>HSL-KBP-20S</b> 	<b>MANUAL BODY PRESS WITHIN BOILER AND VACUUM</b> Control the movement of the upper buck, steam and vacuum manually. Buck Dimensions: 1130*250*345 mm Voltage : 380 V Power of pump : 0.55 Kw Power of resistance: 20 Kw Working Pressure: 4 bar	<b>within vacuum</b>  <b>11,350.00 €</b>
	<b>MANUAL BODY PRESS WITH BOILER AND VACUUM-large</b> <b>HSL-KBP-20L : Buck Dimensions:1270*250*450 mm</b>	<b>13,550.00 €</b>
<b>HSL-BP-20L</b> 	<b>MANUAL BODY PRESS -large</b> Controll the movement of the upper buck, steam and vacuum manually. Works with central steam and vacuum. Voltage : 380 V Steam Inlet: 1/2" Vacuum Inlet: 2" Buck Dimensions:1270*250*450 mm Optional: With hand iron and iron base: 150 €	<b>within vacuum</b>  <b>10,750.00 €</b>
	<b>HSL-BP-20S:MANUAL BODY PRESS</b> <b>Buck Dimensions:1130*250*345 mm</b>	<b>9,350.00 €</b>
<b>HSL-PP-20S</b> 	<b>PNEUMATIC BODY PRESS</b> Controll the movement of the upper buck, steam and vacuum with automaticly. Works with central steam and vacuum. Voltage : 380 V Buck Dimensions:1130*250*345 mm Steam Inlet: 1/2" Vacuum Inlet: 2" Dimensions:133*115*130 cm	<b>within vacuum</b>  <b>14,250.00 €</b>
<b>HSL-KP-1S</b> 	<b>MANUAL BELT PRESS</b> Controll the movement of the upper buck, steam and vacuum manually. Fast and serial operation. Works with central steam and vacuum. Voltage&Frequency:220/380 V&50Hz Surface Dimensions:550*250*110 cm Weight:175 kg	<b>within vacuum</b>  <b>9,150.00 €</b>
<b>HSL-PBP-20L</b> 	<b>PNEUMATIC BODY PRESS WITH IN BOILER AND VACUUM-large</b> Electro- pneumatic system, works with compressed air Upper buck scissors system closes automatically Voltage : 400 V Power of resistance: 15 Kw Air Inlet: 1/2" Surface Dimensions:1270*250*450 mm	<b>within vacuum</b>  <b>18,750.00 €</b>
	<b>HSL-PBP-20S: Buck Dimensions:1130*250*345 mm</b>	<b>16,500.00 €</b>
<b>HSL-DBP-21S</b> 	<b>PNEUMATIC LEATHER IRONING PRESS</b> Usage for ironing leather clothes. Usage for ironing leather clothes. Voltage : 220 V Total Power:3.5 Kw Press adjustment time:0-30 sec Optional: Vacuum motor adjustment :170 euro	<b>15,000.00 €</b>
<b>HSL-MDP-21S</b> 	<b>MANUAL LEATHER IRONING PRESS</b> Usage for ironing leather clothes. Usage for ironing leather clothes. Voltage :220 V Total Power:3.5 Kw Optional: Vacuum motor adjustment :170 euro	<b>10,500.00 €</b>

CODE	DESCRIPTIONS	PRICE
<b>HSL-PYM-20S</b> 	<b>CENTRAL PNEUMATIC SHIRT COLLAR AND CUFFS IRONING PRESS WITHIN VACUUM</b> Voltage:380 V Vacuum Motor:0.55 Kw Dimensions:115*112*150 cm Gross Weight:360 kg	PNEUMATIC  <b>16,250.00 €</b>
<b>HSL-MKM-01S</b> 	<b>FORM FINISHING MACHINE WITHIN BOILER</b> Used in ironing all types of upper body clothing such as sport denim clothing, coats, etc. by steam and air blowing. Voltage&Frequency: 380 V & 50 Hz Power of motor:1,1Kw Steam Pressure: 4 bar Power of resistance: 15 Kw Dimensions:145*70*180 cm Weight: 110 kg	 <b>5,850.00 €</b>
	<b>OPTION:SECOND OUTLET WITH STEAM BRUSH</b>	<b>1,120.00 €</b>
	<b>OPTION:FRONT HOLDER</b>	<b>320.00 €</b>
<b>HSL-MM-01S</b> 	<b>FORM FINISHING MACHINE</b> Used in ironing all types of upper body clothing such as sport denim clothing, coats, etc. by steam and air blowing. Voltage&Frequency: 380 V & 50 Hz Power of motor:1,1 Kw Steam Consumption:25 lt/h Steam Inlet/Outlet: 1/2" Dimensions:145*70*180 cm Weight: 85 kg	 <b>4,500.00 €</b>
<b>HSL-PM-01S</b> 	<b>TROUSER FINISHING MACHINE</b> Horizontal model blowing system. Used in ironing all types of sports and denim clothing by blowing steam and air Voltage&Frequency: 220/380 V & 50 Hz	 <b>4,500.00 €</b>
<b>HSL-KPM-01S</b>	<b>TROUSER FINISHING MACHINE WITHIN BOILER</b>	<b>5,850.00 €</b>
<b>HSL-MPS-5S</b> 	<b>TROUSER TOPPER ROBOT</b> Can be operated both manually and computer controlled Provides perfect finishing, without damaging the height and waist sizes of trousers and jeans especially with sensitive fabrics.Voltage: 380 V Head Adjustment:50-300 °c Power of resistance: 3 Kw Vacuum Motor: 1,1 kW	 <b>18,400.00 €</b>
<b>HSL-PSP-10S</b> 	<b>HOT IRONING PRESS WITHIN BOILER</b> Voltage:220/380 V Pneumatic work.Could counted iron caps. Electronic heat control.Adjustment pressing power right and left side.	 <b>23,600.00 €</b>
<b>HSL-2PSP-10S</b>	<b>DOUBLE HOT IRONING PRESS WITHIN BOILER</b>	<b>33,860.00 €</b>
	<b>MANUAL PACKAGING MACHINE -FOOTED</b> Voltage:220 V Dimensions:90*80*200 cm Weight: 55 kg Melding Adjustment: 0-3 second	 <b>3,310.00 €</b>



CODE	DESCRIPTIONS	PRICE
<b>HSL-TUM-01S</b> 	<b>TRICOT IRONING MACHINE WITH IN BOILER AND VACUUM UNIT</b> Used in ironing cotton and and wool tricot product by pressing.Independent system with built-in vacuum motor and steam tank.Homogene steam distribution with steam distributor.Surface Dimensions:100*185 cm	<b>Pneumatic</b>  <b>25,400.00 €</b>
<b>HSL-TU-50HS</b> 	<b>TRICOT IRONING MACHINE WITH IN BOILER AND VACUUM UNIT</b> Used in ironing cotton and and wool tricot product by pressing.Independent system with built-in vacuum motor and steam tank.Homogene steam distribution with steam distributor.Surface Dimensions:100*185 cm	<b>Pneumatic</b>  <b>9,700.00 €</b>
<b>HSL-TUM-01M</b> 	<b>CENTRAL BOILER SYSTEM TRICOT IRONING MACHINE WITHIN VACUUM UNIT</b> Used in ironing cotton and and wool tricot product by pressing.High vacuuming.Require full automatic steam generator.Design satisfy homogene steam distribution. <b>Surface Dimensions:100*185 cm</b>	<b>Pneumatic</b>  <b>23,400.00 €</b>
<b>HSL-TU-50H</b> 	<b>CENTRAL BOILER SYSTEM TRICOT IRONING MACHINE WITHIN VACUUM UNIT</b> Used in ironing cotton and and wool tricot product by pressing.High vacuuming.Require full automatic steam generator.Surface Dimensions:100*185 cm Design satisfy homogene steam distribution.	<b>Pneumatic</b>  <b>7,200.00 €</b>
<b>HSL-TM-S</b> 	<b>TRICOT IRONING MACHINE WITH IN BOILER AND VACUUM UNIT</b> Used in ironing cotton and and wool tricot product by pressing.Independent system with built-in vacuum motor and steam tank.Homogene steam distribution with steam distributor. <b>Surface Dimensions:100*100 cm</b>	<b>Manual</b>  <b>7,200.00 €</b>

TRICOT IRONING MACHINE

CODE	DESCRIPTIONS	PRICE
<b>HSL-ISP-20</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 2 OUTLETS</b> Interior tank and body made stainless steel.(CrNi 304) Used for deburring and shining golden and silver products Voltage&Frequency: 380 V & 50Hz Pump: 1 Kw Total Power: 11 Kw Working Pressure: 6-7 bar Power of resistance:10 Kw Dimensions: 50*52*97 cm	<b>5,000.00 €</b>
<b>HSL-IS-20</b> 	<b>FULL AUTOMATIC STEAM BOILER WITH 2 OUTLETS</b> Used for deburring and shining golden and silver products Voltage&Frequency: 380 V & 50Hz Pump: 1 Kw Total Power: 11 Kw Power of resistance:10 Kw Working Pressure: 6-7 bar Dimensions: 50*52*97 cm	<b>3,280.00 €</b>
<b>HSL-ISP-07S</b> 	<b>SEMI AUTOMATIC STEAM BOILER WITH 1 OUTLET</b> Interior tank and body made stainless steel.(CrNi 304) Voltage&Frequency: 220 V & 50Hz Total Power: 5 Kw Power of resistance:5 Kw Working Pressure: 5-6 bar Dimensions:34*34*92 cm	<b>2,800.00 €</b>
<b>HSL-IS-07</b> 	<b>SEMI AUTOMATIC STEAM BOILER WITH 1 OUTLET</b> Total Power: 5 Kw Power of resistance:5 Kw Working Pressure: 5-6 bar Dimensions:34*34*92 cm	<b>1,470.00 €</b>

JEWELLERY MACHINE

CODE	DESCRIPTIONS	PRICE
<p><b>HSL-602</b></p> 	<p align="center"><b>Shirt Front Placket Pressing &amp; Creasing Machine</b></p> <p>Electro pneumatic. Folding can be from 1 cm to 8 cm thickness. Interface can be pressed. Laser line helps the positioning of fabric with line.</p> <p>Electrical: 380V Weight: 520kg Compress Air: 6 Bar Dimensions: 1430x1570x1660mm Total Power: 6,5 kw Capacity: 360 pcs/hour</p>	<p align="center"><b>56,750.00 €</b></p>
<p><b>HSL-100</b></p> 	<p align="center"><b>Collar Forming Machine</b></p> <p>It guarantees that all of collar models have high-quality collar end because the right and left ironing areas independent and angular</p> <p><b>Weight:</b> 135kg <b>Compress Air:</b> 6 Bar <b>Dimensions:</b> 820x950x1250mm <b>Electrical:</b> 220V Total Power: 3 kw</p>	<p align="center"><b>12,200.00 €</b></p>
<p><b>HSL-95</b></p> 	<p align="center"><b>Cuff Pressing Machines</b></p> <p>in two stations. Pressing can be done in one side and cuff positioning</p> <p><b>Electrical:</b> 220V – 50Hz <b>Weight:</b> 140kg <b>Compress Air:</b> 6 Bar Capacity: 600 pcs/hour <b>Dimensions:</b> 820x940x1155mm <b>Total Power:</b> 2000w <b>Ironing Temperature:</b> 110 °C – 150 °C</p>	<p align="center"><b>17,150.00 €</b></p>
<p><b>HSL-2200</b></p> 	<p align="center"><b>Collar Point Trimming and Turning Machine</b></p> <p>Horizontal operation. Operation is easy and has a capacity of 3500 pcs/shift. Any kind of collar can be trimmed.</p> <p><b>Weight:</b> 30kg <b>Compress Air:</b> 6 Bar <b>Dimensions:</b> 650x520x985mm <b>Electrical:</b> <b>Capacity:</b> 3500 pcs/day</p>	<p align="center"><b>5,450.00 €</b></p>
<p><b>HSL-401</b></p> 	<p align="center"><b>Mold Collar Pressing Machine</b></p> <p><b>Voltage:</b> 220 V Adjustable temperature and timer relay maintains continuous and always standard form.</p> <p><b>Weight:</b> 75kg <b>Compress Air:</b> 6 Bar <b>Dimensions:</b> 900x500x1650mm</p> 	<p align="center"><b>10,250.00 €</b></p>
<p><b>HSL-402</b></p> 	<p align="center"><b>Double Mold Collar Pressing Machine</b></p> <p>Molds are interchangeable. Adjustable temperature and timer relay maintains continuous and always standard form.</p> <p><b>Weight:</b> 110kg Total Power: 1000w <b>Compress Air:</b> 6 Bar <b>Dimensions:</b> 900x500x1650mm <b>Electrical:</b> 220V – 50Hz</p>	<p align="center"><b>12,200.00 €</b></p>

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [heq@nt-rt.ru](mailto:heq@nt-rt.ru) || сайт: <https://hasel.nt-rt.ru/>